

# 3D Modelling of Plasmon Excitation By Grating

### Marco Paolo Bolzoni, Gian Guido Gentili



Politecnico di Milano, Dipartimento di Elettronica e Informazione, Via Ponzio 34/5, 20133 Milano, Italy E-mail: gentili@elet.polimi.it

Silvia Maria Pietralunga

CNR-Istituto di Fotonica e Nanotecnologie, Piazza Leonardo da Vinci, 32, 20133 Milano, Italy E-mail: silvia.pietralunga@ifn.cnr.it



## Introduction

The design and fabrication of efficient lateral couplers are enabling features for the deployment of desired topologies of plasmonic interconnects. Potentially, grating couplers are interesting technological solutions to this issue. The aim is the efficient excitation of LR-SPP waveguide modes. It can be seen that, if the simplifying 2D numerical approximation is used to analyse and design the grating-assisted coupling, the complexity of the physical problem is under-estimated and this may lead to strongly inaccurate forecasts. Specifically, a full 3D approach is needed to account for aspects like strip modal analysis, cut-off conditions and the finite width of the beam and of the grating. In the following, a comparison between coupling efficiency to LR-SPP mode, as estimated by an approximated 2D FEM numerical analysis and by a 3D approach, is given.

#### The structure —

Lateral coupling into a Au-on-SiO<sub>2</sub> symmetric strip plasmonic waveguide is considered.

Dielectric functions are modeled as:

 $\varepsilon_{\text{Real-Au}} = -215.83^* \lambda_0^4 + 1459.46^* \lambda_0^3 - 3712.40^* \lambda_0^2 + 4029.07^* \lambda_0^3 - 1645.36^*$ 

 $\varepsilon_{\text{Imm-Au}} = 2028.83^* \lambda_0^4 - 12207.68^* \lambda_0^3 + 27555.30^* \lambda_0^2 - 27625.41^* \lambda_0 + 10383.71^*$ 

 $\varepsilon_{SiO2} = (-0.0131^* \lambda_0 + 1.4687)^2$ 

Optical excitation is centered at  $\lambda_0$ =1550nm and a Gaussian incident beam is considered and it has been defined in *Electromagnetic Wave* section as *Port*.

and it has been defined in *Electromagnetic Wave* section as *Port*.

A 50% duty cycle 1-D grating is designed according to the formula:  $\beta_{eff} = 2\pi/\lambda_0 \cdot \sin\theta + m \cdot 2\pi/L$ 




Fig 1: grating coupler on strip: geometry of excitation


Unidirectional LR-SPP propagation is seeked; for this  $45^{\circ}$  deg incidence is considered and the wavevector matching condition is set for a LR-SPP mode propagating on the m = -1 diffraction order. The strip is 20nm thick and  $4\mu m$  wide. A square-shaped grating of period d = 626 nm is chosen; peaks are 100nm-high; the grating is 11 periods long, to give a covered area of unitary aspect ratio.

## **COMSOL 3D modeling**

FEM implementation by COMSOL 4.2a sw. *Scattered field* approach. Free tetrahedral adaptive mesh; more than 600k elems; quadratic elements: about 8M degrees of freedom.

PML boundary conditions. PMC is also defined to reduce the computational complexity.

Running on Intel Xeon CPU X5660; 12 processors; ck @ 2.80GHz 96 Gb RAM







Fig. 2: the full 3D structure for FEM simulations and mesh structure






Fig 3: Amplitude evolution of in-coupled SPP;
(a):total field;
(b):scattered field







Fig 4: cross sectional views of the evolution of SPP strip mode along propagation, at distances from the grating respectively:

4um (a), 5.5um (b) and 7um (c); Ey component.

reference LR-SPP mode







COMSOL 2D Modeling





Fig 7: spectral evolution of coupling efficiency for symmetric ( $s_0$ ) and asymmetric ( $a_0$ ) SPP modes, as resulting from 2D approximation of strip waveguide; LR-SPP is unfavoured.



wavelength	Slab sym. mode	Slab asym. mode	Strip sym. mode	Strip asym. mode
1500nm	1.445269-j4.883620e-5	1.498210-j1.2787e-2	1.44328-j2.46747e-5	1.49079-j1.44360e-2
1525nm	1.445205-j4.553768e-5	1.499775-j1.2966e-2	1.44322-j2.44470e-5	1.48800-j1.40810e-2
1550nm	1.445144-j4.315173e-5	1.501364-j1.3349e-2	1.44930-j2.37390e-5	1.48531-j1.37390e-2
1575nm	1.445085-j4.091538e-5	1.502977-j1.3738e-2	1.44313-j2.48204e-5	1.48224-j1.34350e-2
1600nm	1.445029-j3.8818e-5	1.504615-j1.4133e-2	1.44309-j2.54412e-5	1.48026-j1.31950e-2




Fig 9: Spectral evolution of total SPP power coupling. Differences in ultimate efficiency values and in peak wavelength are evident.

# Conclusions

Preliminary results on coupling efficiency highlight that full 3D numerical modeling is mandatory for an accurate and reliable design of launchers. Good performances on large models.